



INTELLECTUAL PROPERTY LAW
ATLANTA • PHILADELPHIA • SEATTLE

FACSIMILE

DATE: November 19, 2009

JOB CODE:

OFFICIAL PAPER

Please deliver this and the following pages to:

Examiner: **Ben C. Wang**
U.S.P.T.O. Group Art Unit: **2192**
Telecopier No.: **1 571 270 2240**
U.S. Serial No.: **10/790,663**
Client/Matter No.: **MSFT-2767**
Sender's Name: **Peter Trahms-Neudorfer**
Pages to Follow: **7**

If transmission is not complete, please call our **Seattle Office** at (206) 332-1380.

COVER MESSAGE:

OFFICIAL FACSIMILE. PLEASE DELIVER TO EXAMINER IMMEDIATELY.

Attached hereto is/are the following documents:

- 1) *Applicant's Proposed Amendments*

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERY OF THE MESSAGE TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

WOODCOCK WASHBURN LLP
A Partnership Including Professional Corporations
www.woodcock.com

1. (Currently Amended) A method for building an extensible project system for software development by allowing a project flavor with ability to customize parts of a base project system to be applied to the base project system comprising:

providing a base ~~software development project component object model (COM)~~ object comprising data for creating an extensible ~~software development project system~~, wherein the base project ~~component COM~~ object implements a base project configuration ~~component object model (COM)~~ object that includes configuration properties for the base project COM object, the configuration properties comprising an indication of a build of the extensible project system, the base project COM object implementing an API application programming interface (API-application programming interface) ~~that is called by the base software development project COM object to invoke~~ configuration properties of the base project COM object;

providing a flavor COM object comprising data for modifying said base project system for a specific purpose, wherein the flavor COM object includes flavor-specific project configuration properties comprising ~~at least one of a project~~ project flavor set, the flavor set comprising a caption of a project node, an icon of a project node, a property allowing a project browse object to be completely overridden, a control allowing a project to be renamed, a sort priority control, a property allowing a command to be added, a property allowing a command to be removed, a property allowing a command to be disabled, a filter, a property allowing a default generator given a file extension to be determined, and a property allowing a human-readable generator name to be mapped to a COM object, the flavor COM object implementing an API ~~that is called by the base software~~

development project COM object to invoke flavor-specific project configuration properties of the flavor COM object;

signaling, by the base project component COM object, to the flavor component COM object that the base project configuration component COM object needs to be extended;

creating a flavored project system adapted for said specific purpose by COM-type aggregation with cooperation between COM objects using said base project COM object as a participating component COM object and said flavor component COM object as a controlling COM object, wherein the controlling COM object can replace or enhance interfaces of the participating COM object; and

creating, by the flavor component COM object, a flavored base software development project configuration component COM object by COM-type aggregation that determines which implementation of said APIs to be used and allows said flavor COM object to override said base project COM object, wherein at least one configuration property for the base project component COM object is overridden by a corresponding flavor-specific project configuration property.

2. (Previously Presented) The method of claim 1, where said at least one flavor COM object comprises at least a first flavor COM object and a second flavor COM object, and where said step of creating a flavored project system comprises:

creating an intermediary COM object by aggregating said first flavor COM object as a controlling COM object and said base project COM object as a participating COM object; and

creating a flavored project system by using said second flavor COM object as a controlling COM object and said intermediary COM object as a participating COM object.

3. (Previously Presented) The method of claim 1 where said step of creating a flavored project system comprises allowing at least one interface of said base project to be modified by said flavor COM object.

4. (Previously Presented) The method of claim 3 where said step of creating a flavored project system comprises allowing a value for at least one property stored in said at least one interface of said base project to be modified by a value for said at least one property stored in an interface of said flavor COM object.

5. (Previously Presented) The method of claim 1 where said step of creating a flavored project system comprises allowing at least one interface of said base project to be replaced by said flavor COM object.

6. (Canceled)

7. (Previously Presented) The method of claim 1, wherein said flavored base project configuration COM object includes an extender interface, said creation of a project system further comprising:

providing an extender site COM object associated with said extender interface.

8. (Currently Amended) A system for building an extensible project system for software development by allowing a project flavor with ability to customize parts of a base project system to be applied to the base project system, comprising:

a processor;

a process configured to instantiate a base ~~software-development~~ project component object model (COM) object comprising data for creating an extensible project system, wherein the base project COM object implements a base project configuration COM object that includes configuration properties for the base project COM object, the configuration properties comprising ~~at least one of~~ a configuration set, the configuration set comprising an indication of a build of the extensible project system,

an output file to be created, and an indication as to where the output file will be placed, the base project COM object implementing an API (application programming interface) ~~that is called by the base software development project COM object to invoke configuration properties of the base project COM object;~~

a process configured to instantiate at least one flavor COM object comprising data for modifying said base project COM object system for a specific purpose, wherein the at least one flavor COM object includes flavor-specific project configuration properties, the flavor COM object implementing an API that is called by the ~~base software development project COM object to invoke flavor-specific project configuration properties of the flavor object;~~

a process in the base project COM object configured to signal the at least one flavor COM object that the base project configuration COM object needs to be extended;

a process configured to generate a flavored ~~software development project system~~ for said specific purpose by ~~component COM-type object aggregation~~ with cooperation between COM objects using said base project COM object as a participating COM object and one of said at least one flavor COM objects as a controlling COM object, wherein the controlling COM object can replace or enhance interfaces of the participating COM object; and

a process in the at least one flavor COM object configured to generate a flavored base ~~software development project configuration component COM object~~ by COM-type aggregation that determines which implementation of said APIs to be used and allows said flavor COM object to override said base project COM object, wherein at least one configuration property for the base project COM object is modified by a corresponding flavor-specific project configuration property.

9. (Previously Presented) The system of claim 8, where said at least one flavor COM object comprises at least a first flavor COM object and a second flavor COM object, and where said aggregator further comprises:

a first aggregator for creating an intermediary COM object by aggregating said first flavor COM object as a controlling COM object and said base project COM object as a participating COM object; and

a second aggregator for creating a flavored project system by using said second flavor COM object as a controlling COM object and said intermediary COM object as a participating COM object.

10. (Previously Presented) The system of claim 8 where said aggregator causes at least one interface of said base project to be modified by said flavor COM object.

11. (Previously Presented) The system of claim 10 where said aggregator causes a value for at least one property stored in said at least one interface of said base project to be modified by a value for said at least one property stored in an interface of said flavor COM object.

12. (Previously Presented) The system of claim 8 where said aggregator causes at least one interface of said base project to be replaced by said flavor COM object.

13. (Canceled)

14. (Currently Amended) The system of claim 8, wherein said flavored base project configuration COM object includes an extender interface, said project system further comprising:

an extender site component COM object associated with said extender interface.

15. (Currently Amended) A computer-readable storage medium for building an extensible project system for software development by allowing a project flavor with ability to customize parts of a base project system to be applied to the base project

system, said computer readable storage medium storing instructions for causing a computer to perform the steps of comprising:

providing a base ~~software development~~ project component object model (COM) object comprising data for creating an extensible project system, wherein the base project COM object implements a base ~~software development~~ project configuration COM object that includes configuration properties for the base project COM object, the configuration properties comprising ~~at least one~~ of a configuration set, the configuration set comprising an indication of a build of the extensible project system, an output file to be created, and an indication as to where the output file will be placed, the base project COM object implementing an API (application programming interface) [[API]] that is called by the base ~~software development~~ project COM object to invoke configuration properties of the base project COM object;

providing at least one flavor COM object comprising data for modifying said project COM object system for a specific purpose, wherein the at least one flavor COM object includes flavor-specific project configuration properties, the flavor COM object implementing an API that is called by the base ~~software development~~ project COM object to invoke flavor-specific project configuration properties of the flavor object;

signaling by the base project COM object to the at least one flavor COM object that the base project configuration COM object needs to be extended;

creating a flavored software development project system for said specific purpose by COM-type object aggregation with cooperation between COM objects using said base project COM object as a participating COM object and one of said at least one flavor COM objects as a controlling COM object, wherein the controlling COM object can replace or enhance interfaces of the participating COM object; and

creating, by the at least one flavor COM object, a flavored ~~base software development~~ project configuration COM object by COM-type aggregation that determines which implementation of said APIs to be used and allows said flavor COM object to override said base project COM object, wherein at least one configuration property for the base project COM object is modified by a corresponding flavor-specific project configuration property.

16. (Currently Amended) The computer-readable storage medium of claim 15, where said at least one flavor COM object comprises at least a first flavor COM object and a second flavor COM object, and where said step of creating a flavored project system comprises:

creating an intermediary COM object by aggregating said first flavor COM object as a controlling COM object and said base project COM object as a participating COM object; and

creating a flavored project system by using said second flavor COM object as a controlling COM object and said Intermediary COM object as a participating component COM object.

17. (Previously Presented) The computer-readable storage medium of claim 15 where said step of creating a flavored project system comprises allowing at least one interface of said base project to be modified by said flavor COM object.

18. (Previously Presented) The computer-readable storage medium of claim 17 where said step of creating a flavored project system comprises allowing a value for at least one property stored in said at least one interface of said base project to be modified by a value for said at least one property stored in an interface of said flavor COM object.

19. (Previously Presented) The computer-readable storage medium of claim 15 where said step of creating a flavored project system comprises allowing at least one interface of said base project to be replaced by said flavor COM object.

20. (Canceled)

21. (Previously Presented) The computer-readable storage medium of claim 15, wherein said flavored base project configuration COM object includes an extender interface, said creation of a project system further comprising:

providing an extender site COM object associated with said extender interface.